EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	("2005/0041767").URPN.	USPAT	OR	ON	2007/01/10 12:37
L2	0	("2005/0041767").URPN.	USPAT	OR	ON	2007/01/10 12:54
L3	7867	341/126.ccls. 341/155.ccls. 341/46. ccls. 341/47.ccls. 375/354.ccls. 375/356.ccls. 375/376.ccls. 327/24. ccls. 327/141.ccls. 327/147.ccls. 327/151.ccls. 327/156.ccls.	USPAT	OR	ON	2007/01/10 12:58
L4	2074438	(edge transition)nera2 detect$4	USPAT	OR	ON	2007/01/10 12:59
L5	36271	(edge transition)near2 detect$4	USPAT	OR	ON	2007/01/10 12:59
L6	37973	pll (phase adj lock$4 adj loop)	USPAT	OR	ON	2007/01/10 13:00
L7	931	5 same 6	USPAT	OR	ON	2007/01/10 13:00
L8	241	7 and 3	USPAT	OR	ON	2007/01/10 13:00
L9	507	(time or timing) same 7	USPAT	OR	ON	2007/01/10 13:02
L10	131	9 and 3	USPAT	OR	ON	2007/01/10 13:02

Titles of most frequently occurring classifications of patents returned from a search of 10645418 on Jan 10 , 2007

```
  3  341/126       (2 OR, 1 XR)
          Class 341     CODED DATA GENERATION OR CONVERSION
          341/126       .ANALOG TO OR FROM DIGITAL CONVERSION

  2  368/47        (1 OR, 1 XR)
          Class 368     HOROLOGY: TIME MEASURING SYSTEMS OR DEVICES
          368/46        .PLURAL TIMEPIECE SYSTEM OR SYSTEM DEVICE (E.G., PRIMARY OR
SECONDARY CLOCKS)
          368/47        ..With wireless synchronization

  2  360/44        (0 OR, 2 XR)
          Class 360     DYNAMIC MAGNETIC INFORMATION STORAGE OR RETRIEVAL
          360/39        .GENERAL PROCESSING OF A DIGITAL SIGNAL
          360/40        ..In specific code or form
          360/44        ...Intra-cell transition

  2  360/32        (1 OR, 1 XR)
          Class 360     DYNAMIC MAGNETIC INFORMATION STORAGE OR RETRIEVAL
          360/32        .CONVERTING AN ANALOG SIGNAL TO DIGITAL FORM FOR RECORDING;
REPRODUCING AND RECONVERTING

  2  341/155       (0 OR, 2 XR)
          Class 341     CODED DATA GENERATION OR CONVERSION
          341/126       .ANALOG TO OR FROM DIGITAL CONVERSION
          341/155       ..Analog to digital conversion

  2  340/870.18    (0 OR, 2 XR)
          Class 340     COMMUNICATIONS:  ELECTRICAL
          340/870.01    .CONTINUOUSLY VARIABLE INDICATING (E.G., TELEMETERING)
          340/870.18    ..Using a particular modulation (e.g., phase, frequency, or
amplitude)

  2  340/870.43    (1 OR, 1 XR)
          Class 340     COMMUNICATIONS:  ELECTRICAL
          340/870.01    .CONTINUOUSLY VARIABLE INDICATING (E.G., TELEMETERING)
          340/870.4     ..With particular receiver (e.g., ratiometer)
          340/870.42    ...With feedback (e.g., reflex along line)
          340/870.43    ....Follow-up (e.g., circuit rebalanced when upset)

  2  370/384       (0 OR, 2 XR)
          Class 370     MULTIPLEX COMMUNICATIONS
          370/351       .PATHFINDING OR ROUTING
          370/357       ..Through a circuit switch
          370/360       ...Switching control
          370/384       ....Having a supervisory signaling feature

  2  600/509       (2 OR, 0 XR)
          Class 600     SURGERY
          600/300       .DIAGNOSTIC TESTING
          600/481       ..Cardiovascular
          600/508       ...Heart
          600/509       ....Detecting heartbeat electric signal

  2  346/31        (1 OR, 1 XR)
          Class 346     RECORDERS
          346/31        .FOLLOW-UP

  2  386/33        (1 OR, 1 XR)
          Class 386     TELEVISION SIGNAL PROCESSING FOR DYNAMIC RECORDING OR
```

REPRODUCING
386/1 .PROCESSING OF COLOR TELEVISION SIGNAL FOR DYNAMIC RECORDING OR REPRODUCING
386/33 ..Compressing when recording or decompressing when reproducing

2 342/21 (0 OR, 2 XR)
Class 342 COMMUNICATIONS: DIRECTIVE RADIO WAVE SYSTEMS AND DEVICES (E.G., RADAR, RADIO NAVIGATION)
342/21 .BASE BAND SYSTEM

2 250/370.09 (2 OR, 0 XR)
Class 250 RADIANT ENERGY
250/336.1 .INVISIBLE RADIANT ENERGY RESPONSIVE ELECTRIC SIGNALLING
250/370.01 ..Semiconductor system
250/370.08 ...Imaging system
250/370.09 ....X-ray or gamma-ray system

2 378/98.8 (0 OR, 2 XR)
Class 378 X-RAY OR GAMMA RAY SYSTEMS OR DEVICES
378/91 .ELECTRONIC CIRCUIT
378/98 ..With display or signaling
378/98.2 ...Televison
378/98.8 ....With solid-state image detector